


NOTES:

- 1.0 ELECTRICAL SPECIFICATIONS
- 1.1 FREQUENCY RANGE: DC TO 18.0 GHz
- 1.2 MAXIMUM INPUT POWER:
  - AT +25°C: 2 WATTS
  - AT +125°C: 0.5 WATTS
- 1.3 OPERATING TEMPERATURE RANGE:
  - 55°C to +125°C
- 1.4 IMPEDANCE: 50 OHMS
- 1.5 MAXIMUM VSWR: 1.03 + 0.005f(GHz)

2.0 MARK UNIT AS SHOWN.  
(REF.: INK-02611-27-04)

3.0 DIMENSIONS IN PARENTHESIS ARE  
IN MILLIMETERS.



DWG NO. WAS: 02353-01-00

REV.	DESCRIPTION	DATE
-	RELEASED	3/21/79
A	ECR 6545	6/27/89
A1	REDRAW ON CAD - UPDATE MARKING. ADD SPECS.	3/30/92
B	ECN 13033	10/18/93
C	ECN 13621	5/19/94
C1	ADDED TITLEBLOCK	10/26/05

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:  3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°	FSCM NO.	<b>34078</b>		<b>MIDWEST MICROWAVE</b>		
	NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave				TITLE	
					TERMINATION	
	DRAWN/DATE A.BEATTY 3/30/92		ENG./DATE G.KOZAK 4/6/92		DRAWING NUMBER TRM-2001-FO-NNN-02	
CHECKED/DATE		APPROVED/DATE		SCALE: 3=1	SHEET 1 of 1	

MODEL NUMBER  
TRM-2001-FO-NNN-02  
REV.  
C1