



PRODUCT DATASHEET

Strada series

last update 6/2/2017



DETAILS

Product Number	CS15689_STRADA-IP-2X6-FW
Family	Strada
Type	Assembly
Color	clear
Diameter	173x71,4 mm
Height	13,1 mm
Style	rectang
Optic Material	PMMA
Holder Material	
Fastening	pin, screw
Status	production ready
ROHS Compliant	Yes
Date Updated	6/02/2017




OPTICAL PROPERTIES


LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
XP-G2	Asymmetric deg	Asymmetric	93 %	0.830	-



Section view A-A



Section view B-B



Isometric view

INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1	C15688	STRADA-FW	PMMA	Clear
2	C14018	2X6-SEAL25	Silicone	White

Tolerances if not otherwise shown
 According to DIN ISO 2768-1
 Linear measures:
 Up to 30mm class M, otherwise class C.
 According to DIN ISO 2768-2
 Form and position: class L

LEDiL LediL Oy
 Salorankatu 10
 FIN 24240 SALO
 Finland

THIRD ANGLE PROJECTION:


DRAWING TITLE
CS15689_STRADA-IP-2x6-FW

This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.


SIZE **A3** PART NUMBER **CS15689**

SCALE 1:1 WEIGHT 53,7 g SHEET 1/1

Luminaire: Ledil CS15689_STRADA-IP-2X6-FW_(XP-G2)
Lamps: 1 x Cree_XP-G2x12_1267.28lm@250mA_P=8.6485W_I=0.250A



Luminaire: Ledil CS15689_STRADA-IP-2X6-FW_(XP-G2)
Lamps: 1 x Cree_XP-G2x12_1267.28lm@250mA_P=8.6485W_I=0.250A



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.