

## DETAILS


<b>Product Number</b>	CA12060_EVA-WW
<b>Family</b>	Eva
<b>Type</b>	Assembly
<b>Color</b>	black
<b>Diameter</b>	37,7 mm
<b>Height</b>	17,2 mm
<b>Style</b>	round
<b>Optic Material</b>	PMMA
<b>Holder Material</b>	
<b>Fastening</b>	screw, tape
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	27/06/2013



## OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
XM-L	64 deg	Very Wide	79 %	-	-
XM-L EZW	sim: 75	Very Wide	sim: 92 %	-	-
XM-L2	63 deg	Very Wide	77 %	-	-


Relative intensity of CA12060\_EVA-WW\_(XM-L2)



**Ledil Oy C10909\_CA12060\_Eva-WW-XM-Tape C10909\_CA12060\_Eva-WW-XM-Tape / LDC (Linear)**


Luminaire: Ledil Oy C10909\_CA12060\_Eva-WW-XM-Tape C10909\_CA12060\_Eva-WW-XM-Tape

Lamps: 1 x Cree XM-L



# Ledil Oy C10909\_CA12060\_Eva-WW-XM-Tape C10909\_CA12060\_Eva-WW-XM-Tape / LDC (Polar)

Luminaire: Ledil Oy C10909\_CA12060\_Eva-WW-XM-Tape C10909\_CA12060\_Eva-WW-XM-Tape  
Lamps: 1 x Cree XM-L



**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**